



CONTROL OF PROCESS & SAFETY (COPS) PRODUCER INSTRUCTIONS

A tutorial on entering data into the
Control Of Process & Safety (COPS)
database in compliance with HSC16199

TABLE OF CONTENTS

For COPS issues or questions
contact:

gputascops@hs.utc.com

Click on a
chapter
number to
proceed
directly to
that training
material.

Chapter 1

Introduction

Chapter 2

Navigation Features

Chapter 3

Requirements for Variation Management Characteristics

Chapter 3a

- Process Management

Chapter 3b

- Gage Management

Chapter 3c

- Site Specific Control Plan

Chapter 3d

- SPC Data Reporting

Chapter 3e

- KPC Management Form

Chapter 3f

- Temporary Key Characteristics

Chapter 4

Requirements for Frozen Process Characteristics

Chapter 5

Requirements for Supplier Defined Characteristics

Chapter 6

Milestone Management

Chapter 7

Producer Information

Chapter 8

Export Control

Click on this
button to
return to this
table of
contents.



CHAPTER 1: INTRODUCTION



- What is “Control Of Process & Safety”?
- Process Overview
- Course Overview
- Collins Aerospace Responsibilities
- Producer Responsibilities

WHAT IS “CONTROL OF PROCESS & SAFETY”?




The Control Of Process & Safety (COPS) database is the result of merging the Process Certification and Flight Safety databases.

COPS is one of the many tools that Collins Aerospace employs to assure that our products meet or exceed our customer's expectations.

COPS involves the selection of critical to quality features on the Engineering drawing. There are three types of critical to quality features; those controlled by variation management techniques, those managed by frozen process techniques and those that require the producer to define their own sub-level features. These techniques have been proven to have a positive effect on form, fit, function, performance and service life.

PROCESS OVERVIEW



COURSE OVERVIEW



Upon completion of this course, learners will be able to navigate and enter data into the Control of Process & Safety database. Producers will use the data from their own manufacturing documentation, process control plans and Statistical Process Control (SPC) data programs. This will entail:

For characteristics controlled by variation management

1. Successfully completing a site specific control plan for each key process characteristic (KPC) which includes:
 - Defining key processes inputs which affect variation
 - Selecting a control chart and subgroup size
 - Completion of gage R&R and applying to a feature
2. Inputting summary statistical process control data for each lot produced:
 - Uploading on-line (real time)
 - Uploading off-line (using MS Excel)
3. Managing progression through the milestones which includes:
 - Continuously improving processes until process capability goals are met
 - Initiating KPC Management Forms when required.

For characteristics controlled by frozen process

1. Submitting a manufacturing process for Collins approval that will consistently produce results that meet the engineering requirements
2. Freezing the approved process (no changes without prior approval)
3. Assuring that all product is produced to the approved, frozen process

For producer-defined characteristics

1. Submitting a list of characteristics on the producer's drawings that will affect each CTSC or CTQC to Collins for approval.
2. Identifying those selected features on the producer own drawings.
3. Using either frozen process or variation management techniques within the producer's own system to assure compliance.

COLLINS AEROSPACE SYSTEMS RESPONSIBILITIES



- Select Critical to Quality (CTQ) and Critical to Safety (CTS) features and document on the Collins drawing/specification.
- Flow down Process Certification requirements via HSM17 on PO.
- Create a Primary Control Plan in the COPS database for each CTQ and CTS feature.
- Perform basic training on program requirements and COPS database utilization
- Perform an initial compliance audit
- Approve supplier frozen process documentation for FSC and CTQP characteristics
- Approve characteristics defined by the supplier for CTQC and CTSC characteristics
- Close out any action items identified during the compliance audits.
- Periodically re-audit producers to ensure continued compliance.
- Disposition KPC Management forms when required
- Provide additional assistance when requested- gputascops@collins.com

PRODUCER RESPONSIBILITIES



Method of Control	Safety	Non-Safety
Variation Management	KPC1	KPC2
Frozen Process	FSC (★)	CTQP
Supplier Defined	CTSC	CTQC

For characteristics controlled by variation management

- Create a site-specific control plan as applicable.
 - Process Capability
 - Gage Capability
- Initiate Statistical Process Control (SPC) data collection.
- Perform process improvement activities as required to achieve process capability requirements.
- Input SPC data for each manufactured lot into COPS
 - KPC1- 100% inspected
 - KPC2- Sampling may be done per ASQR 20.1 once requirements in sections 4.1 and 4.2 or **HSC16199** are met
- Submit **KPC Management** forms when needed

For characteristics controlled by frozen process

- Submit manufacturing documentation to Collins for approval per requirements in HSC16199
- Freeze approved manufacturing documentation (no changes without prior approval)
- Ensure that all parts are manufactured in strict accordance with frozen processes

For supplier-defined characteristics

- Submit supplier-defined characteristics to Collins for approval (**HSF5138- Supplier Self-Selected KPC Summary Sheet**)
- Incorporate approved supplier-defined characteristics into supplier engineering documents
- Control supplier-defined characteristics in accordance with supplier's internal procedures and systems



CHAPTER 2: NAVIGATION FEATURES



- COPS Database Access
- COPS Summary Screen Fields
- COPS Summary Screen Navigation Buttons
- Sort & Filter

COPS DATABASE ACCESS



For suppliers: To access COPS, logon to the Collins Aerospace Supplier Portal:
<https://suppliers.utc.com/Pages/Home>
Click on the “Control of Process and Safety (COPS)” link

Need help? Please [click here](#) to see Helpdesk, Glossary, FAQs and training information.

SUPPLIER PORTAL

Welcome to the new UTC Supplier Portal – streamlining collaboration so that we can supply a better future, together.

NEWS ALERT

Known Issue Affecting Forecast Data
Forecast reports began experiencing issues on 6/17. Any reports downloaded prior to that date are unaffected. New reports will have degraded quality until the issue is resolved.
[READ MORE](#)

NEWS

- Webinar Training Recordings**
New!
June 20, 2016
Video Recordings of Live Demonstrations of the Confirmation Report (Promise Dating) have been released. The recording is focused on live demonstration of the content within our training environment.

Program changes incorporated in the ASN Packing and Label Print Programs *New!*
- Information Matrix for Understanding Reports**
New!
June 17, 2016
An information matrix has been added to help with the understanding of what types of demand are included in some of the reports that are available on the supplier portal. This information is for understanding purposes only and have no effect on actual processing of orders on the portal.

Updated Standard Work (Training Documentation) for Supplier Portal

QUICK LINKS

SNC LINKS:	OTHER APPLICATIONS/REPORTS:
Accounts Payable	80 Report
Advanced Ship Notifications	Control of Process and Safety (COPS)
Alert Monitor	Part Identification Generator
Forecast Collaboration	PO Note Codes
Pick List/Delivery Due List	QN Attachment Template
PO Collaboration	Supplier Contract Flowdown
Quality Notifications	Supplier Request for Information
Quick View	UID 1 Serial Number Generator
SA Collaboration	VMI Report
Supplier Confirmations ("Promise Dating")	

For the link to be visible the user must first request access from their designated Supplier Portal Admin.


Once the supplier admin verifies the users citizenship they can request access for COPS under-
manage users > restricted access

The access request will go to the COPS administrator to disposition, for issues or questions contact

gputascops@hs.utc.com

COPS DATABASE ACCESS


Step 1: Select COPS from Quick Links



If the COPS link is not visible the user can request access from their designated Supplier Portal Admin.

Once the supplier admin verifies the users citizenship they can request access for COPS under- manage users > restricted access

Step 2: Enter Vendor Code




This will only be applicable if the user has portal access to multiple company vendor codes

COPS DATABASE ACCESS

Step 3: Select “Launch COPS in a new window”



The COPS Database must be launched in IE compatibility mode using Microsoft Edge. If the below message is received select the IE icon in the top right corner of the Edge browser window in order to launch the database. The database will launch in a separate window.



COPS SUMMARY SCREEN FIELDS



This is the COPS home screen or characteristic grid. It provides a listing of all of the CTQ/CTS features (FSC, KPC1, KPC2, CTQC, CTSC, CTQP & TKC) assigned to the producer. All of the features of this COPS screen will be explained in the following chapters.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data							
										Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By ☒ Doc ☐ Char	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proce	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number			
	1	2	Sheet	3 Location	4	5		6	7	8	9	10	11	12	
							--Sele		--Select--	--Select--				13	
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop				
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop				
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop				
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop				

- Document #** – the document (drawing or specification) where the CTQ/CTS symbol is displayed.
- Char #** – a computer generated number which uniquely identifies the CTQ/CTS feature.
- Location**
 - Sheet** – the sheet of the drawing or the page in the specification where the CTQ/CTS symbol is located.
 - Location** – the zone/paragraph within the sheet where the CTQ/CTS symbol is located.
- Description** – a brief description of the CTQ feature.
- Char Type** – a code which specifies the type of CTQ/CTS feature (FSC, KPC1, KPC2, CTQC, CTSC, CTQP or TKC).
- Control Plan/Frozen Process Status** - indicates status of Control Plan/Frozen Process for a CTQ/CTS feature.
- Milestone Status** – the highest milestone requirements the CTQ/CTS feature has satisfied.
- Last SPC/Frozen Process Approval Date** – indicates the last SPC data submittal/Frozen Process Approval date.
- Producer** – identifies the producer or internal manufacturing site that is producing the relevant CTQ/CTS feature.
- 9201 Number** – allows foreign nationals to view the characteristic
- Sort** – allows the user to sort data by using one or more columns.
- Remove Filter** – allows all previously set filters to be removed in order to display all data.
- Filter** – filters data with all previously set filters.

COPS SUMMARY SCREEN NAVIGATION BUTTONS



1													
Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data					
1 2 3 Next> Last>>		2						3		4		5	
Online SPC Data Entry		Offline SPC Data Entry		SPC Data History									
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Num	Sort
Doc			Sheet	Location									Remove Filter
Char						--Sele		--Select--	--Select--				Filter
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop		
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop		
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop		
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop		
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop		
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop		
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop		
	4445559	12794	1	G6	Test attachment	CTSC	View/Edit		1		696969 - Mikey's Machine Shop		
	4445559	12792	1	Note 1	Test for report	FSC	View/Edit				696969 - Mikey's Machine Shop		
☐	5559	12578	1	A1	10 +/- 5 QC-098 5.4 Example	KPC2	View/Edit	COMPLETE	3	06/12/2014	696969 - Mikey's Machine Shop		

- Screen Navigation Tabs** – click on any of these TABS from any screen and you will be returned to the selected screen.
- Page Navigator** – numbers indicate more characteristics for a producer reside on other pages.
- Online SPC Data Entry** – this link opens a screen for real time SPC data input.
- Offline SPC Data Entry** – this link opens a screen that creates an MS Excel spreadsheet template for off-line data entry.
- SPC Data History** – view and edit SPC data previously entered.
- View/Edit** – allows updates to the Site Specific Control Plan/Frozen Process/supplier-designed characteristics and viewing of the Primary Control plan and Milestone Status screen.
- Check Box** – indicates the Site Specific plan is complete and SPC data may be input for that CTQ characteristic.

SORT & FILTER



The “**Sort**” button sorts the visible cases by user-defined parameters.

This efficiently organizes the visible cases.

Sort Key Characteristics

Sort By [dropdown] ☒ Ascending ☐ Descending

Then By [dropdown] ☒ Ascending ☐ Descending

Then By [dropdown] ☒ Ascending ☐ Descending

OK Cancel

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data												
1 2 Next> Last>>												
Online SPC Data Entry Offline SPC Data Entry SPC Data History												
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proces	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9202 Number
☒ Doc			Sheet Location									
☐ Char	444					--Sele		COMPLETE	--Select-			
☐	4445559	12578	1	A1	10 +/- 5 QC-098 5.4 Example	KPC2	View/Edit	COMPLETE	3	06/12/2014	696969 - Mikey's Machine Shop	
☐	4445559	7846	2	D4	Test KPC #9	KPC2	View/Edit	COMPLETE	1		696969 - Mikey's Machine Shop	
☐	4445559	7427	3	M3	Max Feature	KPC2	View/Edit	COMPLETE	3	07/09/2012	696969 - Mikey's Machine Shop	

The “**Filter**” button execute the filters the user-defined parameters.

This narrows down the amount of files visible based on the parameters.

Use “**Remove Filter**” to disable.

CHAPTER 3: REQUIREMENTS FOR VARIATION MANAGEMENT CHARACTERISTICS



Chapter 3a

Process Management

Chapter 3b

Gage Management

Chapter 3c

Site Specific Control Plan

Chapter 3d

SPC Data Reporting

Chapter 3e

KPC Management Form

Chapter 3f

Temporary Key Characteristics

CHAPTER 3A: PROCESS MANAGEMENT



- Process Management Defined
- Navigating to the Process Data Grid
- Creating a New Process
- Editing an Existing Process
- Deleting an Existing Process

PROCESS MANAGEMENT DEFINED



- A process is a list of key parameters that must be controlled in order to minimize variation.
- For each KPC1/KPC2 in the database, a process must be defined as part of completing the Site Specific Control Plan when progressing toward Milestone 2 (refer to [Chapter 6: Milestone Management](#)).
- Processes already defined may be applied to any KPC that uses the same key process inputs to control the variation on that KPC (refer to [Chapter 3c: Site Specific Control Plan](#) for instructions on applying a process to a KPC).
- When it's necessary to create a new process, follow the instructions provided in this chapter.
- Existing processes may be modified (edited) as required and processes that are not in use may be deleted.

NAVIGATING TO THE PROCESS DATA GRID



Select the “**Process Data**” tab to view the data grid that contains all defined processes.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data						
Select By ☒ Doc ☐ Char	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proces	Online SPC Data Entry		Offline SPC Data Entry		SPC Data History		
			Sheet	Location				Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort Remove Filter Filter	
						--Sele ▾		--Select-- ▾	--Select-- ▾					
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit					696969 - Mikey's Machine Shop		
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit					696969 - Mikey's Machine Shop		
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit					696969 - Mikey's Machine Shop		
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit					696969 - Mikey's Machine Shop		
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit					696969 - Mikey's Machine Shop		
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit					696969 - Mikey's Machine Shop		
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit					696969 - Mikey's Machine Shop		

CREATING A NEW PROCESS



To create a process, select **“Create New Process”**.

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data					
					Create New Process
Process Code	Process Description	Machine Name	Process	Producer	Remove Filter
					Filter
HSM17 Option 1	HSM17 Option 1	HSM17 Option 1	View/Edit	696969 - Mikey's Machine Shop	Delete
GR2	Rough Grind	Bryant O.D Grinder	View/Edit	696969 - Mikey's Machine Shop	Delete
GR1	OD Grind	Bryant	View/Edit	696969 - Mikey's Machine Shop	Delete

Note: A new process can also be created from the Site-Specific Control Plan.

CREATING A NEW PROCESS



The screenshot shows a web application interface for creating a new process. At the top, there are tabs: 'Characteristic', 'Producer Data', 'KPC Mgmt Form', 'Gage Data', and 'Process Data'. The 'Process Data' tab is selected, and the title 'Create Process' is displayed. The form contains the following fields and controls:

- 1** Process Code: A text input field with a red '[Required]' label.
- 2** Process Description: A text input field with a red '[Required]' label.
- 3** Producer ID: A text input field containing the value '696969'.
- 3** Producer Name: A text input field containing the value 'Mikey's Machine Shop'.
- 4** Machine Name: A text input field.
- 5** Key Process Input: A text input field with a red '[Required]' label.
- 6** Key Process Input Setting: A text input field with a red '[Required]' label.
- 7** Key Process Input Control Method: A dropdown menu with the text '--Select KPI Control Method--'.
- 9** Delete: A button located next to the control method dropdown.
- 8** Add more KPI Data: A button located below the input fields.
- 10** Save Process: A button located at the bottom center.
- 11** Cancel: A button located at the bottom center, next to the 'Save Process' button.

- 1. Process Code** – Producers assign this code in the format of their choice. The format of the code should be such that it will assist the producer when selecting processes for other KPCs.
- 2. Process Description** – Producer assigns a meaningful description of this process such that it will assist the producer when selecting processes for other KPCs.
- 3. Producer ID & Producer Name** – Computer assigned information. These fields are read only.
- 4. Machine Name (optional)** – Enter name of machine performing the process.
- 5. Key Process Input** – List all key process parameters that, when effectively controlled, will minimize process variation.
- 6. Key Process Input Setting** – List the settings of the Key Process Inputs that were defined in item 5.
- 7. Key Process Input Control** – Select applicable control method from the drop-down list that relates to the Key Process Input and Key Process Input Settings defined in items 5 & 6.
- 8. Add more KPI Data** – Click this button to add more lines of Key Process Input data as required.
- 9. Delete** – Click this button to delete any single line of KPI data.
- 10. Save Process** – **Important!!!** Click this button before leaving this screen to prevent loss of entered data. Once saved, this process will now be available on the Process Code and Process Description pull-down lists on the Site Specific Control Plan screen.
- 11. Cancel** – Click this button to return to the Process Data Grid without saving data entries.

EDITING AN EXISTING PROCESS



To edit an existing process, select **“View/Edit”** adjacent to the process in question.

Characteristic	Producer Data	KPC Mgmt Form	Gage Data	Process Data	Create New Process	
Process Code	Process Description	Machine Name	Process	Producer	Remove Filter	
					Filter	
HSM17 Option 1	HSM17 Option 1	HSM17 Option 1	View/Edit	696969 - Mikey's Machine Shop	Delete	
GR2	Rough Grind	Bryant O.D Grinder	View/Edit	696969 - Mikey's Machine Shop	Delete	
GR1	OD Grind	Bryant	View/Edit	696969 - Mikey's Machine Shop	Delete	

A screen will appear with all of the process data displayed. Any of the fields may be changed, new KPI data may be added or existing KPI data deleted. The field names and explanations are the same as the Create New Process screen. Be sure to save your changes.

EDITING AN EXISTING PROCESS



Characteristic Producer Data KPC Mgmt Form Gage Data **Process Data**

Edit Process

Process Code	HSM17 Option 1	Process Description	HSM17 Option 1
Producer ID	696969	Producer Name	Mikey's Machine Shop
Machine Name	HSM17 Option 1		

Key Process Input	Key Process Input Setting	Key Process Input Control Method	
Alinabal SPC da	Maintain Alinabal Control Plan & SPC Data on file.	Other	Delete
WW Machine Shop	Maintain WW Machine Shop Control Plan & SPC Data on file.	Other	Delete
[Required]	[Required]	--Select KPI Control Method--	Delete

Add more KPI Data **1**

2 Save Process **3** Cancel **4**

1. Click on the “Add more KPI Data” button to add additional lines for Key Process Inputs, Key Process Input Settings, and key Process Input Control Methods.
2. Click on the “Save Process” button before leaving this screen to save all data.
3. Click on the “Cancel” button to return to the Process Data grid. **Note:** Any edits performed will not be saved.
4. Click on the “Delete” button to remove a key process input and its related data

Note: Only unshaded fields can be edited

DELETING AN EXISTING PROCESS



Select “**Delete**” to delete any process that is no longer needed.

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data					
					Create New Process
Process Code	Process Description	Machine Name	Process	Producer	Remove Filter
					Filter
HSM17 Option 1	HSM17 Option 1	HSM17 Option 1	View/Edit	696969 - Mikey's Machine Shop	Delete
GR2	Rough Grind	Bryant O.D Grinder	View/Edit	696969 - Mikey's Machine Shop	Delete
GR1	OD Grind	Bryant	View/Edit	696969 - Mikey's Machine Shop	Delete

Note: A process can only be deleted if it is not assigned to any KPC's.

CHAPTER 3B: GAGE MANAGEMENT



- Gage Management Defined
- Navigating to the Gage Data Grid
- Creating a New Gage
- Editing/Deleting an Existing Gage

GAGE MANAGEMENT DEFINED



- As part of completing the Site Specific Control Plan when progressing toward Milestone 2 (refer to [Chapter 6: Milestone Management](#)), a gage must be defined for each KPC in the database.
- Each gage used to measure a specific key characteristic must undergo a gage capability study to determine if it is capable of measuring the KPC with the required accuracy.
 - The gage resolution must not exceed 10% of the total tolerance
 - The gage RR% to tolerance must be 20% or less
- Gages already defined may be applied to any KPC for which that gage is suitable to measure (refer to [Chapter 3c: Site Specific Control Plan](#) for instructions on applying a gage to a KPC).
- When it is necessary to define a new gage, follow the instructions in this chapter.
- Existing gages may be modified (edited) as required and gages that are no longer used may be deleted.

NAVIGATING TO THE GAGE DATA GRID



From any page, select the “**Gage Data**” tab to view a data grid of all defined gages.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data	Process Data											
													Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By Doc Char	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proce	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort					
			Sheet	Location									Remove Filter					
													Filter					
						--Sele		--Select--	--Select--									
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop							
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop							
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop							
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop							

CREATING A NEW GAGE



Select **“Create New Gage”** to add a new gage.

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data								
1 2 Next> Last>>								Create New Gage
Gage Type	Gage ID #	Gage Description	Date of Last RR	Gage Resolution	Minimum Allowable Tolerance	Gage	Producer	Remove Filter
--Select--								Filter
V	QC-0985.4 e2	QC-0985.4 e2	06/12/2014	.001	0.0151200	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	QC-0985.4 ex	test QC-0985.4 gage	06/12/2014	.0001	0.0010000	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	1211	Test	12/11/2012	.00005	0.0063000	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	DD1	DD	12/03/2009	.001	0.0100000	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	MMS-43	Variable Gage 1	05/22/2012	.0001	0.0022500	View/Edit	696969 - Mikey's Machine Sho p	Delete
A	NNh-2	Attribute Gage 1	03/15/2012			View/Edit	696969 - Mikey's Machine Sho p	Delete
V	HF12	Variable Gage 2	01/11/2012	.0001	0.0010000	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	CTM403	Variable Gage 3	12/16/2011	.00005	0.0100000	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	ML20	Variable Gage 4	12/06/2011	.00005	0.0010200	View/Edit	696969 - Mikey's Machine Sho p	Delete
V	GD33	Variable Gage 5	04/08/2011	.00001	0.0006000	View/Edit	696969 - Mikey's Machine Sho p	Delete

Note: A new gage may also be created from the Site Specific Control Plan.

CREATING A NEW GAGE



The screenshot shows the 'Create Gage' form with the following fields and callouts:

- 1. Gage Code: A text input field with a red '[Required]' label.
- 2. Date of Last RR: A date picker icon.
- 3. Producer ID: A text input field containing '696969'.
- 4. Gage Type: Radio buttons for 'Attribute' and 'Variable'.
- 5. Gage Description: A text input field with a red '[Required]' label.
- 6. Gage Resolution: A text input field with a red '[Required]' label.
- 7. Gage RR Std Deviation: A text input field with a red '[Required]' label.
- 8. Minimum Total Tolerance: A text input field.
- 9. Save Gage: A blue button.
- 10. Cancel: A blue button.

1. **Gage Code** – Producers assign this code in the format of their choice. **Tip:** Make the gage code the same as the gage identification in the producer's calibration control system.
2. **Date of Last RR** – Select the date of the last gage capability study for this gage using the calendar tool.
3. **Producer ID & Producer Name** – Computer assigned information (read only).
4. **Gage Type** – Select the corresponding radio button that matches the type gage to be used. **Note:** If an attribute gage is more suitable for the measurement of the KPC, a KPC Management Form must be submitted and approved by Collins before the gage can be applied (refer to [Chapter 3e: KPC Management Forms](#) for instructions on submitting a KPC Management Form).
6. **Gage Description** – Assign a meaningful description of the gage that will assist when selecting gage for other KPC's. **Tip:** Make the gage description the same as the gage description in the producer's calibration control system.
7. **Gage Resolution** – The smallest measurement increment on the gage measuring the KPC. The gage resolution should be 10% or less of the total tolerance of the KPC. If gage resolution exceeds 10%, and a resolution below 10% cannot be achieved, a KPC Management Form needs to be submitted in order to waive the requirement (refer to [Chapter 3e: KPC Management Forms](#) for instructions on completing KPC Management Forms).
8. **Gage RR Std Deviation** – Enter the standard deviation from the gage capability study.
9. **Minimum Total Tolerance** – The minimum total tolerance (MTT) a gage is suitable for measurement purposes. MTT is a computer calculated value based on the gage resolution and the gage RR standard deviation. **Note:** If the total tolerance of the KPC is less than the MTT, then a new gage must be selected which meets the requirements or a KPC Management Form must be submitted and approved by Collins before the gage can be applied.
10. **Save Gage - Important!!!** Click this button before leaving this screen to prevent loss of entered data. Once saved, this gage will now be available on the Gage Code and Gage Description pull-down lists on the Site Specific Control Plan screen.
11. **Cancel** - Click this button to return to the Gage Data Grid without saving data entries.

EDITING/DELETING AN EXISTING GAGE



Select “**View/Edit**” to view or edit a previously defined gage.

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data								
1 2 Next> Last>>		Create New Gage						
Gage Type	Gage ID #	Gage Description	Date of Last RR	Gage Resolution	Minimum Allowable Tolerance	Gage	Producer	Remove Filter
--Select--								Filter
V	QC-0985.4 e2	QC-0985.4 e2	06/12/2014	.001	0.015120	View/Edit	96969 - Mikey's Machine Sho	Delete
V	QC-0985.4 ex	test QC-0985.4 gage	06/12/2014	.0001	0.001000	View/Edit	96969 - Mikey's Machine Sho	Delete
V	1211	Test	12/11/2012	.00005	0.006300	View/Edit	96969 - Mikey's Machine Sho	Delete
V	DD1	DD	12/03/2009	.001	0.010000	View/Edit	96969 - Mikey's Machine Sho	Delete
V	MMS-43	Variable Gage 1	05/22/2012	.0001	0.002250	View/Edit	96969 - Mikey's Machine Sho	Delete
A	NNh-2	Attribute Gage 1	03/15/2012			View/Edit	96969 - Mikey's Machine Sho	Delete
V	HF12	Variable Gage 2	01/11/2012	.0001	0.001000	View/Edit	96969 - Mikey's Machine Sho	Delete
V	CTM403	Variable Gage 3	12/16/2011	.00005	0.010000	View/Edit	96969 - Mikey's Machine Sho	Delete
V	ML20	Variable Gage 4	12/06/2011	.00005	0.001020	View/Edit	96969 - Mikey's Machine Sho	Delete
V	GD33	Variable Gage 5	04/08/2011	.00001	0.000600	View/Edit	96969 - Mikey's Machine Sho	Delete

Select “**Delete**” to delete a previously defined gage that is not being used.

Note: A gage can only be deleted if it is not assigned to any KPC's.

CHAPTER 3C: SITE SPECIFIC CONTROL PLAN



- Definition of the Site Specific Control Plan
- Completing the Site Specific Control Plan

DEFINITION OF THE SITE SPECIFIC CONTROL PLAN



The Site Specific Control Plan defines the methods and controls used to manufacture, chart and measure a KPC. It consists of:

- Process Data – includes key process inputs, settings and control methods.
- Chart Data – includes control chart type and related sub-group size.
- Gage Study Data – includes data from the gage capability study.

COMPLETING THE SITE SPECIFIC CONTROL PLAN



Step 1: Select the KPC. From the COPS Summary Screen, select “View/Edit” button to go to that KPC’s Site Specific Control Plan.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data					
Select By ☒ Doc ☐ Char	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
			Sheet	Location				Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort
													Remove Filter
Filter						--Sele	--Select--	--Select--					
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit					696969 - Mikey's Machine Shop	
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit					696969 - Mikey's Machine Shop	
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit					696969 - Mikey's Machine Shop	
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit					696969 - Mikey's Machine Shop	
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit					696969 - Mikey's Machine Shop	
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit					696969 - Mikey's Machine Shop	
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit					696969 - Mikey's Machine Shop	

COMPLETING THE SITE SPECIFIC CONTROL PLAN



Step 2: Select the Process. Once the KPC has been selected, choose the process you want to apply from either the “**Process Code**” or “**Process Description**” pull-down menus. Note: If the desired process has not been defined, select “**Add New Process**” (refer to [Chapter 3a: Process Management](#) for guidance on creating a new process). If the new process definition is launched from the Site Specific Control Plan screen, you will be returned to this screen and the new process data will be displayed.

The screenshot shows the 'Site Specific Control Plan' form with the following sections:

- KPC Mgmt Form:** KPC Number (13626), KPC Description (1 +/- .02 dia), Doc No. (852014), Producer Code (696969), Producer Name (Mikey's Machine Shop), Producer Location (East Longmeadow, MA, USA).
- Process Data (highlighted with a red box):** Process Code (HSM17 Option 1), Process Description (HSM17 Option 1), Chart Type (GR1, GR2), Sub Group Size, Sample Freq (100%), Machine (HSM17 Option 1), and an 'Add New Process' button.
- Process Controls:** A table with columns: Key Process Input, Key Process Input Setting, and Key Process Input Control Method. It lists 'Alinabal SPC da' and 'WW Machine Shop' with their respective settings and control methods.
- Gage Study Data:** Gage Code, Gage Description, Gage Resolution, Gage RR Date, Gage RR Std Dev, Gage RR % Tol, Gage Type (Variable/Attribute), and an 'Add New Gage' button.
- Initial Process Capability Data:** Fields for Submittle Date, Lot Quantity, Quantity Rejected, Process Average, Std Dev, Process Target, Cp, Cpk, Cpl, Cpu, Cpm, and DPM.

Navigation buttons: Primary Control Plan, Site Specific Control Plan, Milestone Status. Action buttons: Save, Cancel.

Note: Once the process has been selected/created, the “Process Code”, “Process Description” and “Process Controls” fields will auto-populate.

COMPLETING THE SITE SPECIFIC CONTROL PLAN



Step 3: Select the “Chart Type” (from the pull-down menu) to be used for SPC data collection and monitoring. Enter the appropriate “Sub Group Size” for the Chart Type selected.

Site Specific Control Plan

KPC Number: 13626 KPC Description: 1 +/- .02 dia Doc No.: 852014
Producer Code: 696969 Producer Name: Mikey's Machine Shop Producer Location: East Longmeadow, MA, USA

Process Data

Process Code: HSM17 Option 1 Process Description: HSM17 Option 1 Sample Freq: 100%
Chart Type: IXMR Sub Group Size: 1

Process Controls

Key Process Input Setting	Key Process Input Control Method
Maintain Alinabal Control Plan & SPC Data on file.	Other
Maintain WW Machine Shop Control Plan & SPC Data on file.	Other

Gage Study Data

Gage Code: Gage Description: Gage RR Date: Gage RR Std Dev:
Gage Resolution: Gage RR % Tol: Gage Type: ☐ Variable ☐ Attribute

Initial Process Capability Data

Submit Date	Lot Quantity	Quantity Rejected	Process Average	Std Dev	Process Target
Cp	Cpk	Cpl	Cpu	Cpm	DPM

Save Cancel

COMPLETING THE SITE SPECIFIC CONTROL PLAN



Step 4: Select the Gage. Chose the gage you want to apply from either the “Gage Code” or “Gage Description” pull-down menus. If the desired gage has not been defined, select “Add New Gage” (refer to [Chapter 3b: Gage Management](#) for guidance on creating a new gage).

The screenshot shows the 'Site Specific Control Plan' form with the following sections:

- KPC Data:** KPC Number (13626), KPC Description (1 +/- .02 dia), Doc No. (852014), Producer Code (696969), Producer Name (Mikey's Machine Shop), Producer Location (East Longmeadow, MA, USA).
- Process Data:** Process Code (HSM17 Option 1), Process Description (HSM17 Option 1), Chart Type (IX-MR), Sub Group Size (1), Sample Freq (100%), Machine (HSM17 Option 1). Includes an 'Add New Process' button.
- Process Controls:** A table with columns: Key Process Input, Key Process Input Setting, Key Process Input Control Method. Rows include 'Alinabal SPC da' and 'WW Machine Shop'.
- Gage Study Data (highlighted with a red box):** Gage Code (DD1), Gage Resolution (1211, CTM403, DD1, GD33), Gage RR % Tol (DD1), Gage Description (DD), Gage RR Date (12/03/2009), Gage RR Std Dev (.00005), Gage Type (Variable, Attribute). Includes an 'Add New Gage' button.
- Initial Process Capability Data:** Fields for Submit Date, Date, Cp, Cpl, Process Average, Cpu, Std Dev, Cpm, Process Target, DPM. Includes 'Save' and 'Cancel' buttons.

Note: Once the gage has been selected/created, the “Gage Code”, “Gage Description” and “Gage Study Data” fields will auto-populate.

COMPLETING THE SITE SPECIFIC CONTROL PLAN



Step 5: Save the Site Specific Control Plan. Select “Save” to save the Site Specific Control Plan. An incomplete plan may be saved and completed at a later time.

The screenshot shows a web-based form titled 'Site Specific Control Plan'. The form is divided into several sections: 'Producer Data', 'Process Data', 'Process Controls', 'Gage Study Data', and 'Initial Process Capability Data'. A red box highlights the 'Save' button at the bottom right, with an arrow pointing to it from below. The form contains various input fields, dropdown menus, and a table for process controls.

Key Process Input			Key Process Input Setting		Key Process Input Control Method	
Alinabal SPC da			Maintain Alinabal Control Plan & SPC Data on file.		Other	
WW Machine Shop			Maintain WW Machine Shop Control Plan & SPC Data on file.		Other	

Note: Choosing “Cancel” will return you to the COPS Summary screen without saving entries.

CHAPTER 3D: SPC DATA REPORTING



- SPC Data Entry
- View/Edit Previously Submitted SPC Data

SPC DATA ENTRY



SPC data must be entered on the COPS Summary Screen each time a lot is manufactured and an iLot is going to be created in the Supplier Portal or as required per HSC16199. The data must be entered before any parts from that lot are shipped to Collins Aerospace. Previously submitted SPC data may also be viewed/edited. The data can be entered either online or offline.

From the COPS Summary Screen, the online data submittal screen can be opened by performing the following steps:

Step 1: Select By Doc or Char. If “Doc” is selected, all KPCs for that document with completed Site Specific Control Plans will be available for data submittal. If “Char” is selected, only that specific KPC will be available for data submittal.

Step 2: Select the KPC. Check the box and data lines that contain KPCs become highlighted when a KPC is chosen for SPC data entry. Note: Only KPCs with completed Site Specific Control Plans can be chosen for SPC data entry.

Step 3: Select “Online SPC Data Entry”. Click on this button to open the screen for online SPC data entry.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data							
<<First <Prev 1 2 3 Next> Last>>															
Select By		Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proces	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort	
☐ Doc				Sheet	Location										Remove Filter
☒ Char							--Sele		--Select--	--Select--					Filter
		4445559	12575	1	Note 1	test	FSC	View/Edit				696969 - Mikey's Machine Shop			
☒		4445559	7846	2	D4	Test KPC #9	KPC2	View/Edit	COMPLETE	1		696969 - Mikey's Machine Shop			
		4445559	7845	1	Note 4	Test CTQC	CTQC	View/Edit	Approved	4	04/20/2011	696969 - Mikey's Machine Shop			
		4445559	7790	1	G6	Test KPC #8	KPC2	View/Edit		1		696969 - Mikey's Machine Shop			

SPC DATA ENTRY



Online SPC data entry screen for **variable** data:

Characteristic		Producer Data		KPC Mgmt Form	Gage Data	Process Data							
								Cancel		Submit Data			
Document	KPC No	KPC Type	KPC Description		Tolerance Type	Lower Tolerance	Upper Tolerance	Nominal					
4445559	7846	KPC2	Test KPC #9		BIDIR	0.001	0.001	.1					
Variable Data Input													
Submittal Date	Master ESIR	Lot No	Part Number	Nominal	Target	Inspection Qty	Mean	Std Dev	Cp	Cpk	Cpl	Cpu	Cpm
08/05/2014		[Red]	[Red]	.1		[Red]	[Red]	[Red]					

Buttons: Upload/View Document, Cancel, Submit Data

Red fields indicate required fields that need to be filled in order to be able to submit data:

- 1. Submittal Date** – The date the manufactured lot passed final inspection (defaults to today's date). Click on the calendar tool to revise this date.
- 2. Master ESIR**– Master ESIR created in eSilk for this lot of material. Will be auto-filled when ESIR is generated in eSilk.
- 3. Lot No** – Enter the manufacturing lot traceability number.
- 4. Part Number** – Enter the Collins part number that appears on the purchase order.
- 5. Nominal** – If the KPC is a tabulated feature, enter the nominal value for the part number; otherwise, the nominal value will be pre-populated.
- 6. Target** – If the process is targeting off the nominal value to allow for tool wear, enter the targeted value; if not, leave blank.
- 7. Inspection Qty** – Enter the number of pieces in the manufactured lot.
- 8. Mean** – the average of all measurements in the manufactured lot for an individual KPC.
- 9. Std Dev** – Enter the calculated standard deviation for all measurements in the manufactured lot.
- 10. Cp, Cpk, Cpl, Cpu, Cpm** – Computer calculated values based on mean, standard deviation and upper/lower limits.
- 11. Upload/View Document** – Button that allows raw data to be attached that was used to create summary SPC data (mean & std dev).
- 12. Cancel** – Click the “Cancel” button to exit this screen. **Note:** Data entries will not be saved.
- 13. Submit Data** – Click the “Submit Data” button when all entries have been completed.

SPC DATA ENTRY



Online SPC data entry screen for **attribute** data:

Characteristic		Producer Data		KPC Mgmt Form	Gage Data	Process Data		8	9
								Cancel	Submit Data
Document	KPC No	KPC Type	KPC Description	Tolerance Type	Lower Tolerance	Upper Tolerance	Nominal		
4445559	7423	KPC2	Attribute feature	ATTRIBUTE					
Attribute Data Input									
Submittal Date	Master ESIR	Lot No	Part Number	Inspection Qty	Reject Qty	DPMO			
08/05/2014 1	2	[Red] 3	[Red] 4	[Red] 5	[Red] 6	7			

Red fields indicate required fields that need to be filled in order to be able to submit data:

- 1. Submittal Date** – The date the manufactured lot passed final inspection (defaults to today's date). Click on the calendar tool to revise this date.
- 2. Master ESIR** – auto-filled when Master ESIR is created in eSilk.
- 3. Lot No** – Enter the manufacturing lot traceability number.
- 4. Part Number** – Enter the Collins part number that appears on the purchase order.
- 5. Inspection Qty** – Enter the number of pieces in the manufactured lot.
- 6. Reject Qty** – Enter the number of pieces rejected from the manufactured lot.
- 7. DPMO** – Computer calculated value.
- 8. Cancel** – Click the "Cancel" button to exit this screen. **Note:** Data entries will not be saved.
- 9. Submit Data** – Click the "Submit Data" button when all entries have been completed.

VIEW/EDIT PREVIOUSLY SUBMITTED SPC DATA



From the COPS Summary Screen, the SPC data history screen can be opened by performing the following steps:

- Step 1: Select By Doc or Char.** If “Doc” is selected, all KPCs for that document with completed Site Specific Control Plans will be available for data submittal. If “Char” is selected, only that specific KPC will be available for data submittal.
- Step 2: Select the KPC.** Check the box and data lines that contain KPCs become highlighted when a KPC is chosen for SPC data entry. Note: Only KPCs with completed Site Specific Control Plans can be chosen for SPC data entry.
- Step 3: Select “SPC Data History”.** Clicking on this button will allow you to view/edit previously submitted SPC data.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data								
1	2	Next>	Last>>	Document #	Char #	Location	Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort	
				Sheet	Location											
				--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	--Select--	
				☒	4445559	7846	2	D4	5.4 Example Test KPC #9	KPC2	View/Edit	COMPLETE	1	06/12/2014	696969 - Mikey's Machine Shop	
				☐	4445559	7427	3	M3	Max Feature	KPC2	View/Edit	COMPLETE	3	07/09/2012	696969 - Mikey's Machine Shop	

VIEW/EDIT PREVIOUSLY SUBMITTED SPC DATA



This row contains view only data describing the selected KPC.

SPC Data History								
Document	KPC No	KPC Type	KPCDescription	Tolerance Type	Lower Tolerance	Upper Tolerance	Nominal	ProducerID
4445559	7257	KPC2	Test KPC #7	UNIHIGH		0.002	.500	696969

Submittal Date	Lot No.	Part #	Inspection Qty	Mean	Std. Dev.	Cpk	SPC Data	Remove Filter
							Filter	
05/30/2012	X123	4445559-2	23.0000000	.50012	.00015	4.178	View/Edit	Delete
04/12/2012	Test 48	4445559-1	10.0000000	.6002	.00023	1.159	View/Edit	Delete
04/12/2012	Test 47	4445559-1	15.0000000	.6001	.00028	1.071	View/Edit	Delete
04/12/2012	Test 46	4445559-1	10.0000000	.6002	.0003	.889	View/Edit	Delete
04/12/2012	Test 45	4445559-1	15.0000000	.5995	.00015	1.111	View/Edit	Delete
04/12/2012	Test 44	4445559-1	10.0000000	.6001	.0005	.6	View/Edit	Delete

This section displays all lot-to-lot SPC data that has been submitted to date. In this example, 6 lots have been submitted.

To edit previously submitted data, Click on the “**View/Edit**” button for the manufactured lot number to be updated. The screen on the next slide will appear.



Note: Clicking the “Delete” button will remove the manufactured lot and its SPC data from the database.

VIEW/EDIT PREVIOUSLY SUBMITTED SPC DATA



Enter the applicable data in the updatable fields then click on the “**Submit Data**” button to save the revised data.

Characteristic	Producer Data	KPC Mgmt Form	Gage Data	Process Data				
Document	KPC No	KPC Type	KPC Description	Tolerance Type	Lower Tolerance	Upper Tolerance	Nominal	
4445559	7257	KPC2	Test KPC #7	UNIHIGH		0.002	.500	

Variable Data Input

Submittal Date	Master ESIR	Lot No	Part Number	Nominal	Target	Inspection Qty	Mean	Std Dev	Cp	Cpk	Cpl	Cpu	Cpm
05/30/2012		X123	4445559-2	0.5		23	0.50012	0.00015		4.178		4.178	

Note: Choosing “Cancel” will return you to the SPC Data History Screen without saving entries.



CHAPTER 3E: KPC MANAGEMENT FORMS

- What is a KPC Management Form?
- When is a KPC Management Form required?
- How to launch an KPC Management Form
- Create and submit a KPC Management Form
- Determine the status of a KPC Management Form

WHAT IS A KPC MANAGEMENT FORM?



- A KPC Management Form is an electronic document that is initiated by a producer to request an exemption of their KPC requirements:
 1. When gage capability requirements cannot be economically met
 2. When process capability requirements cannot be economically met
 3. When the use of variable gaging is impractical for the type of characteristic being measured
 4. To request waiver of all HSC16199 requirements for a specific KPC due to an alternate method of control
- KPC Management Forms apply only to characteristics controlled by variation management (KPC1s & KPC2s)
- The KPC Management Form is documented and stored in the COPS database
- If a KPC Management Form is approved, the Milestone Status Screen will be updated accordingly

Note: KPC Management Forms are launched from the Milestone Status screen

HOW TO LAUNCH AN KPC MANAGEMENT FORM



After pressing “View/Edit” for a KPC, click on the “Milestone Status” tab and press the “Launch a KPC Management Form” button:

Completion		01/12/2012
1	Training Complete	Y
2	SPC Data Submitted	N
3	Audit Completed	N
4	Cpk >= 1.33 Inspection Qty >= Sub Group Size * 25 Submitted lots >= 3	N

Launch KPC Management Form

CREATE AND SUBMIT A KPC MANAGEMENT FORM



1. Click on the appropriate **radio button** to indicate category of waiver request (see next slides for explanation).
2. Enter the **supporting information** for requesting the waiver in this field.
3. Click on the **paperclip** to attach the completed KPC Management template and any supporting documents. The KPC Management template can be found on the supplier portal, ensure you are following the instructions tab when completing the template.
4. Click on **“Save as Draft”** to save the KPC Management Form as a draft for later completion and submittal.
5. Click on **“Submit KPC Management Form”** to submit the completed KPC management Form to Collins for review.
6. Click on **“Cancel”** to cancel the KPC management Form.

CANNOT MEET GAGE CAPABILITY REQUIREMENTS



☒ Cannot meet gage capability requirements	☐ Cannot meet process capability requirements	☐ Change gage type to attribute
☐ Alternate Method of Control		

Reason: Producer's gage does not meet reproducibility / repeatability requirements and cannot be practically brought into compliance.

Based on worst case of either:

- Gage needs to be able to measure at least 1/10 of total tolerance
- Gage R&R % to tolerance cannot be greater than 20%

Acceptance Result: Acceptable gage requirement is waived, and control plan can be completed without an acceptable gage to enable the producer to enter SPC data.

CANNOT MEET PROCESS CAPABILITY REQUIREMENTS



☐ Cannot meet gage capability requirements	☒ Cannot meet process capability requirements	☐ Change gage type to attribute
☐ Alternate Method of Control		

Reason: After reasonable effort, producer cannot achieve process capability requirements due to cost or design requirements resulting in $Cpk < 1.33$.

Acceptance Result: $Cpk \geq 1.33$ Milestone 4 requirement is waived.

Completion		04/12/2013
1	Training Complete	Y
2	SPC Data Submitted	Y
3	Audit Completed	Y
4	CpK ≥ 1.33	W

CHANGE GAGE TYPE TO ATTRIBUTE



☐ Cannot meet gage capability requirements	☐ Cannot meet process capability requirements	☒ Change gage type to attribute
☐ Alternate Method of Control		


Reason: Geometry not practical for Producer to measure using variable gaging.

Example: Small hole with go/no go pins

Acceptance Result: Gage type will be changed to “Attribute” and Producer will be allowed to select attribute gages for this characteristic.

Gage Study Data			
Gage Code	NNh-2	Gage Description	Attribute Gage 1
Gage Resolution		Gage RR Date	Attribute Gage 1
Gage RR % Tol		Gage Type	Attribute Gage 1 Attribute Gage 2 Attribute Gage 3 Variable Gage 1 Variable Gage 2 Variable Gage 3 Variable Gage 4 Variable Gage 5 Variable Gage 6 Variable Gage 7
Initial Process			
Submit Date	Lot	Quantity	Quantity
	Quantity	Rejected	
Cp	Cpk	Cpl	
			Save Cancel

ALTERNATE METHOD OF CONTROL



Reason: Inappropriate application of statistical process control techniques for this characteristic.

Examples of characteristic types that are not good applications are:

- True position
- Surface finish
- Minimum tolerance characteristics
- Hardness
- Edge breaks
- Thread dimensions
- Characteristics that are visually inspected
- Material attributes
- Non-measurable characteristics

Acceptance Result: Characteristic is inactivated for that producer, and they can no longer see it in their characteristic summary screen.

DETERMINE THE STATUS OF A KPC MANAGEMENT FORM



Click on the “**KPC Mgmt Form**” button from any screen to view summary information for all initiated KPC Management Forms

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data			
Mgmt Form #	KPC #	Document	Status	Submitted By	9201 Number	Submittal Date	Mgmt Form	Reviewed By	Approved	Producer	Remove Filter
			--Select--						--Select--		Filter
1784	7845		Draft				View/Edit		No	696969 - Mikey's Machine Shop	
1238	7257		Rejected			04/18/2013	View/Edit		No	696969 - Mikey's Machine Shop	
1107	7426		Rejected			10/02/2012	View/Edit		No	696969 - Mikey's Machine Shop	
898	6166		Approved			02/15/2012	View/Edit		Yes	696969 - Mikey's Machine Shop	
882	6166		Approved			02/01/2012	View/Edit		Yes	696969 - Mikey's Machine Shop	
872	6166		Rejected			01/11/2012	View/Edit		No	696969 - Mikey's Machine Shop	
871	6166		Rejected			01/11/2012	View/Edit		No	696969 - Mikey's Machine Shop	
870	6166		Rejected			01/11/2012	View/Edit		No	696969 - Mikey's Machine Shop	
743	5707		Approved			07/27/2011	View/Edit		Yes	696969 - Mikey's Machine Shop	

Status of each KPC Management Forms is displayed

Click on the “**View/Edit**” button to view detail information for any KPC Management Form or to complete a KPC Management Form in draft status

DETERMINE THE STATUS OF A KPC MANAGEMENT FORM



Characteristic | Producer Data | KPC Mgmt Form | Gage Data | Process Data

Create KPC Management Form

Management Form #	1879	Document	852014
KPC Number	13627	KPC Description	16 microfinish
Producer Code	696969	Producer	Mikey's Machine Shop
Submitted By		Submittal Date	
Reviewed By	1	Review Date	2
Status 3			

Check One that applies

☐ Cannot meet gage capability requirements

☐ Cannot meet process capability requirements

☐ Change gage type to attribute

☐ Alternate Method of Control

Supporting Information

Acceptance/Rejection Criteria

4

Attachments

Save As Draft | Submit KPC Management Form | Cancel

1. Displays the name of the Collins reviewer
2. Displays the review date
3. Displays the status of the KPC Management Form (Draft, Submitted, In-process, Approved or Rejected)
4. Displays the acceptance/rejection criteria



Collins Aerospace

CHAPTER 3F: TEMPORARY KEY CHARACTERISTICS



- What is a Temporary Key Characteristic (TKC)?
- How is a producer notified when a TKC is assigned?
- Viewing the TKC
- TKC Requirements

WHAT IS A TEMPORARY KEY CHARACTERISTIC (TKC)?



- TKC's may be assigned to producers at the discretion of Collins Quality Engineering for any of the following reasons:
 - to validate the effectiveness of the corrective action plan submitted by a Collins Supplier in the event of a dimensional escape.
 - to validate the effectiveness of the corrective action plan submitted by a Collins Supplier in the event of a dimensionally related Conditional Advanced Disposition (CAD).
 - when Collins Engineering/Quality/Procurement may want to understand the capability for a given process/feature for design and/or root cause analysis purposes.
- Any TKC resulting from a dimensional escape will be tied directly to a specific Quality Notification emanating from the System for Tracking Action Requests (STAR).

HOW IS A PRODUCER NOTIFIED WHEN A TKC IS ASSIGNED?



- Once Quality Engineering assigns a TKC, the producer will be notified via Email.
- The Email will contain an attached letter with the following information:
 - Applicable part number
 - TKC description
 - Location of the TKC on the applicable document
 - Instructions for TKC data collection and reporting
 - Applicable forms (Getting Started Spreadsheet, form QC-0985.4)
- Concurrent with the Email notification, the TKC will be created in the COPS database.
- The TKC may be viewed via the COPS grid, similar to all other KPC's



VIEWING THE TKC

Click on the “**View/Edit**” button to go to that TKC’s Site Specific Control Plan.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data							
										Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Procees	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort		
			Sheet	Location									Remove Filter		
													Filter		
☒ Doc	852014					TKC		--Select--	--Select--						
☐ Char	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop				



TKC REQUIREMENTS

- All the requirements for KPC1's and KPC2's previously defined apply to TKC's:
 - Completion of Site Specific Control Plan (refer to [Chapter 3c: Site Specific Control Plan](#)).
 - Data collection and reporting (refer to [Chapter 3d: SPC Data Reporting](#)).
- Milestone progression does not apply to TKCs
- TKCs become “Inactive” once the following conditions have been satisfied:
 1. A minimum of 25 consecutive measurements from a minimum of 3 consecutive lots.
 2. Calculated Cpk from each lot must be equal to or greater than 1.33.

Note: Refer to HSM17 for detail requirements regarding TKCs.

CHAPTER 4: REQUIREMENTS FOR FROZEN PROCESS CHARACTERISTICS



- Definition of a Frozen Process
- Completing a Frozen Process
- Reworking a Frozen Process
- Modifying an Approved Frozen Process

DEFINITION OF A FROZEN PROCESS



A frozen process is defined by the manufacturing documentation (traveler, OP sheet, oven schedule, weld schedule, etc.) that is used to produce the applicable Frozen Safety Characteristics (FSC) or Critical to Quality Process characteristics. FSCs are designated by a star symbol (★) on the drawing and Critical to Quality Process characteristics by the  symbol.

Once defined, a process must be submitted for Collins approval and no parts may be shipped before approval.

After approval, a process is considered frozen and may not be changed without prior Collins approval.

All parts must be manufactured in strict accordance with the approved, frozen process.



COMPLETING A FROZEN PROCESS

Step 1: Selecting the FSC/CTQP. From the COPS Summary Screen, select “View/Edit” to go to that FSC/CTQP’s Frozen Process Screen.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data										
													Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort					
			Sheet	Location									Remove Filter					
Doc						--Sele		--Select--	--Select--				Filter					
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop							
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop							
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop							
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop							
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop							

COMPLETING A FROZEN PROCESS



Step 2: Selecting the Document. Once the FSC/CTQP has been opened, select “Add Document”.

The screenshot shows a software interface with a sidebar on the left and a main content area. The sidebar contains a navigation menu with the following items: a back arrow icon, 'Primary Control Plan', 'Frozen Process', and 'Milestone Status'. The main content area has a header with tabs: 'Characteristic', 'Producer Data', 'KPC Mgmt Form', 'Gage Data', and 'Process Data'. Below the header, there is a section titled '9201 Number' with a text input field containing '9201 Number'. Below this is a section titled 'Document Information' with fields for 'Document Number' (852014), 'Document Revision' (*), and 'Document Name' (Test Part). Below that is a section titled 'Jurisdiction and Classification Information' with fields for 'Jurisdiction', 'Classification', and 'Unique Identifier'. At the bottom right of the main content area, there are two buttons: 'View Export Document' and 'Add Document'. A red line originates from the text box above, pointing to the 'Add Document' button.

COMPLETING A FROZEN PROCESS



Step 3: Attach Document. Fill out these required fields to define the process:

1. **Manufacturing Document ID** – Producer's OP sheet number, weld schedule ID, traveler title, etc.
Note: This field needs to be a unique identifier and cannot be used again on another characteristic even if the same documentation is used.
2. **Producer Document Owner** from the drop down list – Either Self (yours) or Subtier (your subtier).
Note: For Self, the "Select Producers" button is not needed.
Note: For Subtier, click on "Select Producers" to pick subtier producer(s) from a list. (See next slide for details)
3. **Producer ID** auto populates after selecting Producer Document Owner (read only).
4. **Indicate Changes from Previous Revision** – Enter "New" if the document is being submitted for the first time or describe the changes if it is a revision.
5. **Attach** the relevant information for the process.
6. **Producer Document Type** selected from the drop down list.
7. **Producer Name** auto populates after selecting Producer Document Owner (read only).
8. **Producer Document Revision** – The revision of the document being submitted (letter, number, date, etc).
9. **Save** when finished.
Note: Close will exit without saving.

The screenshot shows the 'Attach Document' form within a software interface. A red box highlights the form area, and a red arrow points from the 'Jurisdiction and Classification Information' section above to the form. The form contains the following fields and controls:

- 1** Manufacturing Document Id: Text input field.
- 2** Producer Document Owner: Dropdown menu with a 'Select Producers' button.
- 3** Producer Id: Text input field.
- 4** Indicate Changes from Previous Revision: Text area.
- 5** Attachment: Text input field with a 'Browse...' button. A red error message below it reads: 'File could not exceed the size of 5Mb.'
- 6** Producer Document Type: Dropdown menu.
- 7** Producer Name: Text input field.
- 8** Producer Document Rev: Text input field.
- 9** Save/Close: Buttons at the bottom right.

At the top of the form, there is a section titled 'Jurisdiction and Classification Information' with fields for 'Jurisdiction:', 'Classification:', and 'Unique Identifier:'. To the right of this section are buttons for 'View Export Document' and 'Add Document'.

COMPLETING A FROZEN PROCESS



A document that defines part of the process has now been created in the Frozen Process tab. More documents can be created as needed to completely define the whole process to be frozen by repeating the instructions on the previous slides.

Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
852014 13628	Other	696969	Mikey's Machine Shop			New	*	FrozenProcess.docx	Inprogress Add	View	Delete

After adding all the required documentation, the definition of the frozen process is completed by associating the documents to a FSC/CTQP characteristic by following the instructions on the next slides.

COMPLETING A FROZEN PROCESS



Step 4A: Select the documentation that is needed to define the frozen process for the FSC/CTQP characteristic. One or more may be associated to a FSC/CTQP characteristic. Note: Check the top box to select all.

Document Number: 852014 Document Revision: * Document Name: Test Part

Jurisdiction and Classification Information

Jurisdiction: Classification: Unique Identifier:

View Export Document Submit Add Document

☒	Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
☒	852014 13628	Other	696969	Mikey's Machine Shop			New	*	FrozenProcess.docx	Inprogress Add	View	Delete
☒	852014 13628 2	Other	696969	Mikey's Machine Shop			New	*	FrozenProcess.docx	Inprogress Add	View	Delete

Select FSC --Select-- --Select-- 13628-240 Torque

Assign Selected Documents to FSC

Step 4B: Select the applicable FSC/CTQP characteristic from the pull-down list.

Step 4C: Click on the "Assign Selected Documents to FSC/CTQP" button.

COMPLETING A FROZEN PROCESS



The FSC/CTQP is now associated with its process document(s).

The screenshot displays the 'Process Data' tab of a software interface. The left sidebar contains navigation links: 'Characteristic', 'Producer Data', 'KPC Mgmt Form', 'Gage Data', 'Process Data', 'Primary Control Plan', 'Frozen Process', and 'Milestone Status'. The main content area includes several sections: '9201 Number' with a text input field, 'Document Information' with fields for Document Number (852014), Document Revision (*), and Document Name (Test Part), and 'Jurisdiction and Classification Information' with fields for Jurisdiction, Classification, and Unique Identifier. Below these is a table of documents with columns for checkboxes, Manufacturing Doc Id, Producer Document Type, Producer Code, Producer Name, Submittal Date, Approval Date, Indicate Changes From Previous Revision, Frozen At Design Doc Revision, Attachment File Name, Status, View, and Delete. Two documents are listed, both with status 'Inprogress Add'. A 'Submit' button is highlighted in the top right of the table. A red arrow points from this button to a summary box at the bottom labeled 'FSC-13628' with the subtitle 'FSC: 240 Torque'. This box contains a table of the same two documents. At the bottom of the interface, there is a 'Select FSC' dropdown menu set to '13628-240 Torque' and an 'Assign Selected Documents to FSC' button.

	Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
☐	852014 13628	Other	696969	Mikey's Mach			New	*	FrozenProc ess.docx	Inprogr ess Add	View	Delete
☐	852014 13628 2	Other	696969						FrozenProc ess.docx	Inprogr ess Add	View	Delete

FSC-13628		
FSC: 240 Torque		
Manufacturing Document Id#	Status	
852014 13628	Inprogress Add	Delete
852014 13628 2	Inprogress Add	Delete

COMPLETING A FROZEN PROCESS



After being submitted, the status of the Frozen Process will change from “Draft” to “Submitted” in the COPS Summary Screen.

Characteristic Producer Data KPC Mgmt Form Gage Data Process Data													
Online SPC Data Entry Offline SPC Data Entry SPC Data History													
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proces	Control Plan/Frozen Proces Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort
☒ Doc			Sheet	Location				--Select--	--Select--				Remove Filter
☐ Char						FSC							Filter
						FSC	View/Edit						
						FSC	View/Edit	Draft					
						FSC	View/Edit	Submitted					
						FSC	View/Edit	Approved					
						FSC	View/Edit	Re-work					

Review Board Response. After being reviewed, if the process is acceptable, the status will display “Approved” and the process will be considered frozen.

REWORKING A FROZEN PROCESS



If the process needs improvement or changes, the status will display “Rework”.

Process Data													
Online SPC Data Entry													
Offline SPC Data Entry													
SPC Data History													
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan, Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort
☒ Doc			Sheet	Location				--Select--	--Select--				Remove Filter
☐ Char						FSC							Filter
						FSC	View/Edit						
						FSC	View/Edit	Draft					
						FSC	View/Edit	Submitted					
						FSC	View/Edit	Approved					
						FSC	View/Edit	Rework					

To start reworking, select “View/Edit”.

REWORKING A FROZEN PROCESS



In order to view rework comments, select "View Rework Comments".

The screenshot displays the FPRB Review application interface. A 'Rework Comments' dialog box is open, showing fields for 'Rework Title' (Missing info), 'Rework Comments' (Please add...), and 'Attachment' (Contact Name, Contact Email, Contact Phone#). A 'Close' button is at the bottom. In the background, the 'Frozen Process Status: Rework' section is visible, containing a table with columns: Producer Name, Submittal Date, Approval Date, Indicate Changes From Previous Revision, Frozen At Design Doc Revision, Attachment File Name, Status, View, and Delete. The 'View Rework Comments' button is highlighted with a red box and a red arrow points to it from the text box above. Below the table, there is a button 'Assign Selected Documents to FSC' and a small table with columns 'ing Document Id#' and 'Status'.

Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
S Mach	08/07/2014		New	*	FrozenProc ess.docx	Inprogr ess Add	View	Delete
S Mach	08/07/2014		New	*	FrozenProc ess.docx	Inprogr ess Add	View	Delete

ing Document Id#	Status
1413628	Inprogress Add Delete
13628 2	Inprogress Add Delete

REWORKING A FROZEN PROCESS



Add Document: To add a Document, select “Add Document” and follow the previous Completing a Frozen Process instructions.

Delete Document: To delete an attached Document, select “Delete” next to the Document. This will also delete any relation between a Document assigned to a FSC/CTQP. Note: Attached documents and document relations cannot be deleted from Frozen Processes with a status of “Submitted”.

Edit Document: In order to rework an attached Document, select the first paper icon to “View” the attached Document. See next slides for details.

Delete Association: To delete the relation between a Document assigned to a FSC/CTQP without deleting the attached Document, select “Delete” next to the Document under the FSC/CTQP.

9201 Number

9201 Number

Document Name: Test Part

Unique Identifier: COPS15780626201403313

Frozen Process Status: Rework

View Export Document Submit View Rework Comments Add Document

	Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
	852014 13628	Other	696969	Mikey's Machine Shop	08/07/2014		New	*	FrozenProcess.docx	Inprogress Add	View	Delete
	852014 13628 2	Other	696969	Mikey's Machine Shop	08/07/2014		New	*	FrozenProc	Inprogr	View	Delete

FSC: 240 Torque

Manufacturing Document Id#	Status	
852014 13628	Inprogress Add	Delete
852014 13628 2	Inprogress Add	Delete

REWORKING A FROZEN PROCESS



Characteristic | Producer Data | KPC Mgmt Form | Gage Data | Process Data

9201 Number

9201 Number

Primary Control Plan

Frozen Process

Milestone Status

Document Info

Document Number: 852014 | Document Revision: *

Jurisdiction and Classification Information

Jurisdiction: EAR | Classification: 9E991 | Unique Identifier: COPS15780626201403313

Frozen Process Status: Rework

View Export Document | **Submit** | View Rework Comments | Add Document

		Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submittal Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
☐		852014 13628	Other	696969	Mikey's Machine Shop	08/07/2014		New	*	FrozenProcess.docx	Inprogress Add	View	Delete
☐		852014 13628 2	Other	696969	Mikey's Machine Shop	08/07/2014		New	*	FrozenProcess.docx	Inprogress Add	View	Delete

Select FSC: --Select-- | Assign Selected Documents to FSC

FSC-13628
FSC: 240 Torque

Manufacturing Document Id#	Status	
852014 13628	Inprogress Add	Delete
852014 13628 2	Inprogress Add	Delete

When the process is ready for re-submittal, select "Submit".

MODIFY AN APPROVED FROZEN PROCESS



To start updating an approved frozen process, select “View/Edit”.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data		Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort		
			Sheet	Location									Remove Filter	Filter	
☒ Doc						FSC		--Select--	--Select--						
☐ Char						FSC	View/Edit								
						FSC	View/Edit	Draft							
						FSC	View/Edit	Submitted							
						FSC	View/Edit	Approved							
						FSC	View/Edit	Rework							

MODIFY AN APPROVED FROZEN PROCESS



Add Document: To add a Document, select “Add Document” and follow the previous Completing a Frozen Process instructions.

Edit: In order to update an attached Document on an approved Frozen Process, select the first paper icon to “View” the attached Document. See next slides for details.

In an approved Frozen Process, to delete an attached Document, select “Delete” next to the Document. This will also delete any relation between a Document assigned to a FSC/CTQP.

To delete the relation between a Document assigned to a FSC/CTQP without deleting the attached Document, select “Delete” next to the Document under the FSC/CTQP.

FSC-13628
FSC: 240 Torque

Manufacturing Document Id#	Status
852014 13628	Approved
852014 13628 2	Approved

Once all required change requests have been created and are ready for re-submittal, select **"Submit"**. Once approved, the original document will be replaced and the old document can be found in history.

Note: The change request can be cancelled by selecting “Delete”.

FSC-13628			
FSC: 240 Torque			
	Manufacturing Document Id#	Status	
	852014 13628	Approved	Delete
	852014 13628 2	Approved	Delete

MODIFY AN APPROVED FROZEN PROCESS



The delete request will appear as a duplicate document/association with the status “In Process Delete” next to the original document/association.

Once all required delete requests have been created and are ready for re-submittal, select “Submit”. Once approved, the original document will be deleted.

Frozen Process Status: Approved

	Manufacturing Doc Id	Producer Document Type	Producer Code	Producer Name	Submit Date	Approval Date	Indicate Changes From Previous Revision	Frozen At Design Doc Revision	Attachment File Name	Status	View	Delete
☐	852014 13628	Other	696969	Mikey's Machine Shop	08/07/2014	08/07/2014	New	*	FrozenProcess.docx	Approved	View	Delete
☐	852014 13628 2	Other	696969	Mikey's Machine Shop	08/07/2014	08/07/2014	New	*	FrozenProcess.docx	Approved	View	Delete
☐	852014 13628 2	Other	696969	Mikey's Machine Shop	08/07/2014	08/07/2014	New	*	FrozenProcess.docx	In Progress Delete	View	Delete

Select FSC: --Select-- Assign Selected Documents to FSC

Note: The delete requests can be cancelled by selecting “Delete”.

FSC-13628
FSC: 240 Torque

Manufacturing Document Id#	Status	Delete
852014 13628	Approved	Delete
852014 13628 2	In Progress Delete	Delete
852014 13628 2	Approved	Delete



CHAPTER 5: REQUIREMENTS FOR SUPPLIER DEFINED CHARACTERISTICS

- What are Supplier Defined Characteristics?
- CTSC/CTQC Requirements
- Submittal of Producer Defined Characteristics

WHAT ARE SUPPLIER DEFINED CHARACTERISTICS?



- Critical To Safety Characteristics and Critical to Quality Characteristics are upper level elements or functions of a part or assembly that have the greatest impact to the safety or quality of the product.
- Critical to Safety Characteristics (identified by the symbol ) and Critical to Quality characteristics (identified by the symbol ) are only applied to supplier designed items procured via Source Control or Vendor Item (Spec Control) drawings.
- CTSC/CTQC's drive the selection of lower-level frozen process characteristics and variation management characteristics by the producer that will have the most influence on the CTSC/CTQC. The supplier defined features must be approved by Collins Engineering and then be included on the supplier's engineering documents.

CTSC/CTQC REQUIREMENTS



- Supplier shall self-select lower level frozen process characteristics and variation management characteristics that impact the Collins defined CTSC/CTQC per Appendix B of HSC16199.
- Supplier defined characteristics must be documented by the producer in COPS and submitted electronically to Collins for approval.
- Once approved, the supplier shall document the self defined characteristics on supplier's product definition documents (drawings and specifications) in accordance with supplier's internal systems and procedures.
- The supplier shall manufacture parts in accordance with the supplier's internal systems and procedures using frozen process and variation management techniques as applicable on the self defined features.
- Suppliers engineering and manufacturing documentation are subject to audit by Collins to assure compliance to these requirements.

SUBMISSION OF PRODUCER DEFINED CHARACTERISTICS



Step 1: Selecting the CTQC/CTSC. From the COPS Summary Screen, select “View/Edit” to go to that CTQC/CTSC’s Supplier Defined Characteristics screen.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data							
										Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort		
			Sheet	Location									Remove Filter		
													Filter		
☒ Doc						--Sele		--Select--	--Select--						
☐ Char															
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop				
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop				
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop				
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop				

SUBMISSION OF PRODUCER DEFINED CHARACTERISTICS



Step 2: Define Key Characteristics - Fill out these required fields for the Supplier Defined Characteristics:

1. **Doc #** – Producer's document where characteristic will be defined.
2. **Doc Rev** – Producer's document revision (letter, number, date, etc).
3. **Product/Flight Safety Characteristics** – Description of characteristic.
4. **Rationale for Key Product/Flight Safety Characteristic Section** – Reasoning behind selection of characteristic.
5. **Method of Control** from the drop down list choose (either frozen process or variation management)
6. **KPC Drawing Location** – Sheet and zone locations on supplier document where characteristic can be found.
7. **Add Row** – Add another row to define another characteristic.
8. **Documents** – Attach any relevant documentation that supports the selection of supplier defined characteristics (HSF5138, FMEA, risk analysis tool etc.) Note: Processes that need to be submitted for frozen approval must be attached here for any frozen process control characteristic selected for a CTSC.
9. **Save** when finished.
10. **Submit** when ready to send to Collins for review.

The screenshot shows the 'Key Characteristics' form. At the top, there are buttons for 'View Export Document', 'Save' (labeled 9), and 'Submit' (labeled 10). Below these is a table with the following columns: 'Doc #', 'Doc Rev', 'Product/Flight Safety Characteristics', 'Rationale For Key Product / Flight Safety Characteristic Section', 'Method of Control', 'KPC Drawing Location (Sheet no. and Zone)', 'UTAS Disposition (Accept\Reject)', 'UTAS Rejection Reason', and an empty column for actions. The first two rows of the table are pre-filled with 'Frozen Process Control' in the 'Method of Control' column. The 'Add Row' button (labeled 7) is at the bottom right of the table, and the 'Documents' button (labeled 8) is next to it. A red box highlights the table area, and a red arrow points from the 'Add Row' button to the table.

Doc #	Doc Rev	Product/Flight Safety Characteristics	Rationale For Key Product / Flight Safety Characteristic Section	Method of Control	KPC Drawing Location (Sheet no. and Zone)	UTAS Disposition (Accept\Reject)	UTAS Rejection Reason	
1	2	3	4	5	6			Delete
				Frozen Process Control				Delete

SUBMITTAL OF PRODUCER DEFINED CHARACTERISTICS



If the CTQ is saved without being submitted, the status will display “Draft”. This can be completed and submitted at a later date by clicking on “**View/Edit**”.

When the CTQ is submitted, the status will change to “Submitted” pending Collins review.

After the Collins has performed the review, the CTQ status will change to either “Rework” or “Approved”. If the CTQ needs to be reworked, click “**View/Edit**”, make the appropriate changes and resubmit.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data		Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proce	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort		
			Sheet	Location									Remove Filter	Filter	
☒ Doc						CTQC		--Select--	--Select--						
☐ Char						CTQC	View/Edit								
						CTQC	View/Edit	Draft							
						CTQC	View/Edit	Submitted							
						CTQC	View/Edit	Approved							
						CTQC	View/Edit	Rework							



CHAPTER 6: MILESTONE MANAGEMENT

- Milestones Defined
- Milestone Status Screen Location
- Milestone Status Screen

MILESTONES DEFINED



Milestones are used as a methodology to measure the progression of a KPC1, KPC2, FSC, CTQP, CTSC or CTQC toward certified status. There are four key milestones each containing sub-elements that must be satisfied in order to achieve certification (refer to [Chapter 1: Introduction](#) for milestone responsibilities). The four milestones are:

- Milestone 1: *Training*
 - Supplier trained on HSC16199 requirements
 - Supplier trained on using COPS database
- Milestone 2: *Data Submittal*
 - For variation management characteristics - Site Specific Plan complete and SPC data submitted
 - For frozen process characteristics – frozen process documentation submitted
 - For supplier defined characteristics – supplier selected characteristics submitted
- Milestone 3: *Process Compliance Verification*
 - Compliance audit conducted
 - All findings resolved
- Milestone 4: *Achievement*
 - For variation management characteristics – process capability goals met
 - For frozen process characteristics – frozen processes approved
 - For supplier defined characteristics – supplier selected characteristics approved

MILESTONE STATUS SCREEN LOCATION



From the COPS Summary Screen, select “View/Edit” of the applicable characteristic.

Characteristic		Producer Data		KPC Mgmt Form		Gage Data		Process Data		Online SPC Data Entry		Offline SPC Data Entry		SPC Data History	
Select By ☒ Doc ☐ Char	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Proce	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort		
			Sheet	Location									Remove Filter		
														Filter	
						--Sele		--Select--	--Select--						
	852014	13626	1	A1	1 +/- .02 dia	KPC1	View/Edit				696969 - Mikey's Machine Shop				
	852014	13627	2	B2	16 microfinish	KPC2	View/Edit				696969 - Mikey's Machine Shop				
	852014	13628	1	Note 1	240 Torque	FSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13629	1	Note 10	Heat treat	CTQP	View/Edit				696969 - Mikey's Machine Shop				
	852014	13630	1	Note 2	Flow rate	CTSC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13631	1	Note 20	Cleanliness	CTQC	View/Edit				696969 - Mikey's Machine Shop				
	852014	13632	1	C3	2 + .02 / - .00	TKC	View/Edit				696969 - Mikey's Machine Shop				

Note: Milestone progression does not apply to TKCs.

MILESTONE STATUS SCREEN

VARIATION MANAGEMENT CHARACTERISTICS WITH ATTRIBUTE DATA



Select the "Milestone Status" tab.

Indicates date of highest milestone achievement. In this case, Milestone 4 was achieved on 2/24/2013.

Characteristic	Producer Data	KPC Mgmt Form	Gage Data	Process Data
Primary Control Plan				
Site Specific Control Plan				
Milestone Status				

Milestone Status

KPC Number: 7423 KPC Description: attribute feature Doc No.: 4445559

Producer Information

Producer Code: 696969 Producer Name: Mikey's Machine Shop Producer Location: East Longmeadow, MA, U... Producer Type: E

Milestone Status

Completion	06/10/2014
1 Training Complete	Y
2 SPC Data Submitted	Y
3 Audit Completed	Y
4 3 Consecutive Lots submitted with an Inspection Qty >= Sub Group Size * 45, all with DPMO <= 63	Y


Producer Notes

Cancel Save Launch KPC Management Form

1. Indicates if Milestone 1 has been achieved (KCR has been performed).
2. Indicates if Milestone 2 has been achieved (Initial lot of attribute SPC data submitted).
3. Indicates if Milestone 3 has been achieved (Compliance audit has been conducted and all items closed).
4. Indicates if Milestone 4 has been achieved (Process capability goals have been met).

MILESTONE STATUS SCREEN

FROZEN PROCESS CHARACTERISTICS



Select the "Milestone Status" tab.

Indicates date of highest milestone achievement. In this case Milestone 2 was achieved on 07/24/2014.

Milestone Status	
KPC Number	44652
KPC Description	data test
Doc No.	5142014
Producer Information	
Producer Code	1234567
Producer Name	LFZ ENTERPRISES LTD
Producer Location	CLEVELAND, OH, USA
Producer Type	E
Milestone Status	
Completion	07/24/2014
1 FS Training Performed	Y
2 FP Submitted	Y
3 FP Audit Performed	N
4 FP Approved	N

Return

1. Indicates if Milestone 1 has been achieved (KCR has been performed).
2. Indicates if Milestone 2 has been achieved (Frozen process documents submitted).
3. Indicates if Milestone 3 has been achieved (Compliance audit has been conducted and all items closed).
4. Indicates if Milestone 4 has been achieved (Frozen process documents have been approved).

MILESTONE STATUS SCREEN

SUPPLIER DEFINED CHARACTERISTICS



Select the "Milestone Status" tab.

Indicates date of highest milestone achievement. In this case Milestone 3 was achieved on 04/22/2014.

Milestone Status	
KPC Number	44600
KPC Description	flow rate
Doc No.	526385
Producer Information	
Producer Code	1234567
Producer Name	LFZ ENTERPRISES LTD
Producer Location	CLEVELAND, OH, USA
Producer Type	E
Milestone Status	
Completion	04/22/2014
1 Training Complete	Y
2 Characteristics Submitted	Y
3 Audit Completed	Y
4 Characteristics Approved	N

Return

1. Indicates if Milestone 1 has been achieved (KCR has been performed).
2. Indicates if Milestone 2 has been achieved (Supplier defined characteristics submitted).
3. Indicates if Milestone 3 has been achieved (Compliance audit has been conducted and all items closed).
4. Indicates if Milestone 4 has been achieved (Supplier defined characteristics approved).

CHAPTER 7: PRODUCER INFORMATION



- The Producer Information screen documents the following data:
 - producer name
 - producer address
 - producer contact information (primary and alternate)
 - producer training/audit status
- The producer updates the Producer Information screen when any of the following information has changed:
 - contact name
 - contact title
 - contact telephone number
 - contact Email address

PRODUCER INFORMATION



Characteristic **Producer Data** KPC Mgmt Form Gage Data Process Data

Producer Information

Producer Code: 1234567

Click on the “**Producer Data**” button from any screen to view your producer information

Address Line 4

Primary Contact
This is the person who will be contacted by Collins for all quality related issues unless there are alternate contacts defined for specific functions. These fields can be updated by the producer.

Producer Name: LFZ ENTERPRISES LTD
Commodity: Machine
Supplier Contact: Jane Doe
Title: Quality Manager
Email: jane.doe@lfz.com
Telephone: 860-654-5555x1
Country: USA

Alternate Contact
These are the people who will be contacted by Collins for specific purposes as designated by the comments. These fields can be updated by the producer.

KCR ARMS
PCR Assign
Date PCR
Date PCR
PCR Closu
PCR ARMS
Audit Com
Training Assessment Number

Alternate Contacts

	Name	Title	Telephone No.	E-mail Id	Remove
	John Smith	DQR	860-654-5555x2	john.smith@lfz.com	×
	Clarence Cadiver	Quality Engineer	860-654-3567x3	clarence.cadiver@lfz.com	×

Contact Name
Contact Title
Telephone No.
Contact E-mail Id
Comments

Add Contact Edit Contact Clear Fields

Close **Save**

Note: Save button needs to be pressed in order to save changes here.


CHAPTER 8: EXPORT CONTROL



Anyone who meets one of the following conditions is considered a foreign national:

- Non-US person
- Working at a non-US company
- Working at a non-US location

Whoever meets one of these conditions and tries viewing classified materials without an associated 9201 number will encounter the pop up window on the next slide.



HOW TO NAVIGATE

If a record that contains a Collins review (has or had status of “Approved”, “Rework” or “Reject” in the past) is trying to be accessed by a foreign national where the 9201 field is blank, the following message will appear after “**View/Edit**” is clicked:

blank, the following message will appear after **View/Edit** is clicked.

Characteristic													
Online SPC Data Entry													
Offline SPC Data Entry													
SPC Data History													
Select By	Document #	Char #	Location		Description	Char Type	Control Plan/Frozen Process	Control Plan/Frozen Process Status	Milestone Status	Last SPC/Approval Date	Producer	9201 Number	Sort
☒ Doc			Sheet	Location									Remove Filter
☐ Char						CTQC							Filter
	512014	44629	1	Note 5	512014 Description	CTQC	View/Edit	Rework	3		1234567 - LFZ ENTERPRISES LTD		

Manage Part Numbers - Windows Internet Explorer provided by CSC fo...

Access Authorization Required!

The record you are attempting to access either does not have a valid export AUTHORIZATION or the export authorization has expired. Please contact the COPS System Administrator for assistance or click the 'Request Access Authorization' button to request access.

Request Access Authorization

Click here to have an automated email sent to the relevant authority to request authorization to gain “View/Edit” access.